

**INSIGHT**  


---

**CORDLESS LIGHTING**



## CORDLESS AMBIENCE

Bursting with elegance and personality our collection of cordless table lamps sets the new standard for table lighting, redefining the way you illuminate restaurants, bars and hotels. Boasting innovative designs and material combinations, combined with advanced lighting and battery technology to elevate your venues' ambiance and functionality.



## TRUSTED BY THE BEST



Sandals

Kempinski

WESTIN  
HOTELS & RESORTS

Jumeirah  
HOTELS & RESORTS

FOUR SEASONS  
Hotels and Resorts

SILVERSEA

Hilton  
HOTELS & RESORTS

ROSEWOOD  
HOTELS & RESORTS

Fairmont  
HOTELS & RESORTS

SIX SENSES

Royal Caribbean  
INTERNATIONAL

## COMMITMENT TO EXCELLENCE

At the heart of our cordless table lamps is our unique removeable battery module. Offering exceptional convenience when the user wishes to replace the batteries and prolong the life of their lamp. Now equipped with the safest and most durable lithium battery on the market, our lamps can provide 42 hours of light from a single charge. The most impressive edge is our charge life cycle - Our batteries can last over 10 years if recharged every 2 days. Furthermore the longer lifespan of our batteries contributes to their overall sustainability. By reducing the frequency of battery replacements, our batteries help to minimize electronic waste and the environmental impact associated with battery production and disposal - This is a crucial aspect in the pursuit of a greener and more sustainable future.

## DESIGNED FOR HOSPITALITY

To guarantee performance night after night, year after year, our cordless Lamps use the highest quality components sourced locally and around the world to our exact specification. Designed to withstand the demands of any environment, our cordless table lamps boast exceptional durability with an IP44 water resistant rating, makes them ideal for both indoor and outdoor use.

Enjoy the wireless charging features, with a choice of multi charging pads and charging trolleys to recharge large quantities of lamps with ease and convenience.


Sofia Dome Cordless Table Lamp, Brass



# CHARM DOME

PRO

- MODEL NO: 80601-MP02-029
- MATERIAL: ALUMINIUM ALLOY
- SURFACE FINISH: BRASS / COPPER / NICKEL / BLACK
- DIMENSIONS: 89MM (D) X 226MM (H)
- WEIGHT: 0.783KG
- INTERNATIONAL COMPLIANCE: UKCA, CE, ROHS
- PROTECTION RATING: IP44-WATER + DUST PROTECTION



| TYPE        | BATTERY                          | CELLS | CHARGE TIME (HOURS) | LIGHT SOURCE OPTION                    | COLOUR TEMPERATURE (KELVIN) | OPERATING TIME (HOURS) |     |     | BRIGHTNESS (LUMENS) | CRI  | BULB LIFE (HOURS) |
|-------------|----------------------------------|-------|---------------------|----------------------------------------|-----------------------------|------------------------|-----|-----|---------------------|------|-------------------|
|             |                                  |       |                     |                                        |                             | HIGH                   | MED | LOW |                     |      |                   |
| QI WIRELESS | LI-FEPO4 4000MAH<br>2,000 CYCLES | 1     | <9                  | 1W LED WARM WHITE<br>1W 16 RGB COLOURS | 2700K                       | 42                     | 63  | 84  | < 154               | > 80 | 50,000            |






# CHARM EMPIRE

PRO

- MODEL NO: 80602-MP02-030
- MATERIAL: ALUMINIUM ALLOY
- SURFACE FINISH: BRASS / COPPER / NICKEL / BLACK
- DIMENSIONS: 94MM (D) X 223MM (H)
- WEIGHT: 0.799KG
- INTERNATIONAL COMPLIANCE: UKCA, CE, ROHS
- PROTECTION RATING: IP44-WATER + DUST PROTECTION



| TYPE        | BATTERY                          | CELLS | CHARGE TIME (HOURS) | LIGHT SOURCE OPTION                    | COLOUR TEMPERATURE (KELVIN) | OPERATING TIME (HOURS) |     |     | BRIGHTNESS (LUMENS) | CRI  | BULB LIFE (HOURS) |
|-------------|----------------------------------|-------|---------------------|----------------------------------------|-----------------------------|------------------------|-----|-----|---------------------|------|-------------------|
|             |                                  |       |                     |                                        |                             | HIGH                   | MED | LOW |                     |      |                   |
| QI WIRELESS | LI-FEPO4 4000MAH<br>2,000 CYCLES | 1     | <9                  | 1W LED WARM WHITE<br>1W 16 RGB COLOURS | 2700K                       | 42                     | 63  | 84  | < 154               | > 80 | 50,000            |






# CHARM DRUM

PRO

- MODEL NO:** 80603-MP02-031
- MATERIAL:** ALUMINIUM ALLOY
- FINISH:** BRASS / COPPER / NICKEL / BLACK
- DIMENSIONS:** 89MM (D) X 226MM (H)
- WEIGHT:** 0.899KG
- INTERNATIONAL COMPLIANCE:** UKCA, CE, ROHS
- PROTECTION RATING:** IP44-WATER + DUST PROTECTION



| TYPE        | BATTERY                          | CELLS | CHARGE TIME (HOURS) | LIGHT SOURCE OPTION                    | COLOUR TEMPERATURE (KELVIN) | OPERATING TIME (HOURS) |     |     | BRIGHTNESS (LUMENS) | CRI  | BULB LIFE (HOURS) |
|-------------|----------------------------------|-------|---------------------|----------------------------------------|-----------------------------|------------------------|-----|-----|---------------------|------|-------------------|
|             |                                  |       |                     |                                        |                             | HIGH                   | MED | LOW |                     |      |                   |
| QI WIRELESS | LI-FEPO4 4000MAH<br>2,000 CYCLES | 1     | <9                  | 1W LED WARM WHITE<br>1W 16 RGB COLOURS | 2700K                       | 42                     | 63  | 84  | < 154               | > 80 | 50,000            |





# SOFIA FABRIC

PRO

- MODEL NO: 80609-MP02-033
- MATERIAL: ALUMINIUM ALLOY
- FINISH: BRASS
- SHADE COLOUR: COTTON IVORY / COTTON RED
- DIMENSIONS: 140MM (D) X 280MM (H)
- WEIGHT: 0.655KG
- INTERNATIONAL COMPLIANCE: UKCA, CE, ROHS
- PROTECTION RATING: IP44-WATER + DUST PROTECTION



| TYPE        | BATTERY                          | CELLS | CHARGE TIME (HOURS) | LIGHT SOURCE OPTION                    | COLOUR TEMPERATURE (KELVIN) | OPERATING TIME (HOURS) |     |     | BRIGHTNESS (LUMENS) | CRI  | BULB LIFE (HOURS) |
|-------------|----------------------------------|-------|---------------------|----------------------------------------|-----------------------------|------------------------|-----|-----|---------------------|------|-------------------|
|             |                                  |       |                     |                                        |                             | HIGH                   | MED | LOW |                     |      |                   |
| QI WIRELESS | LI-FEPO4 4000MAH<br>2,000 CYCLES | 1     | <9                  | 1W LED WARM WHITE<br>1W 16 RGB COLOURS | 2700K                       | 42                     | 63  | 84  | < 154               | > 80 | 50,000            |





# SOFIA EMPIRE

PRO

**MODEL NO:** 80605-MP02-032 / 80610-MP02-032  
**MATERIAL:** ALUMINIUM ALLOY  
**FINISH:** BRASS / COPPER / NICKEL / BLACK  
**DIMENSIONS:** 109MM (D) X 215MM (H) / 109MM (D) X 330MM (H)  
**WEIGHT:** 0.905KG / 0.985KG  
**INTERNATIONAL COMPLIANCE:** UKCA, CE, ROHS  
**PROTECTION RATING:** IP44-WATER + DUST PROTECTION

MINI

109



215

109



330



MINI



| TYPE        | BATTERY                          | CELLS | CHARGE TIME (HOURS) | LIGHT SOURCE OPTION                    | COLOUR TEMPERATURE (KELVIN) | OPERATING TIME (HOURS) |     |     | BRIGHTNESS (LUMENS) | CRI  | BULB LIFE (HOURS) |
|-------------|----------------------------------|-------|---------------------|----------------------------------------|-----------------------------|------------------------|-----|-----|---------------------|------|-------------------|
|             |                                  |       |                     |                                        |                             | HIGH                   | MED | LOW |                     |      |                   |
| QI WIRELESS | LI-FEPO4 4000MAH<br>2,000 CYCLES | 1     | <9                  | 1W LED WARM WHITE<br>1W 16 RGB COLOURS | 2700K                       | 42                     | 63  | 84  | < 154               | > 80 | 50,000            |





# SOFIA FLAT

PRO

- MODEL NO: 80607-MP02-035
- MATERIAL: ALUMINIUM ALLOY
- FINISH: BRASS / COPPER / NICKEL / BLACK
- DIMENSIONS: 118MM (D) X 265MM (H)
- WEIGHT: 0.635KG
- INTERNATIONAL COMPLIANCE: UKCA, CE, ROHS
- PROTECTION RATING: IP44-WATER + DUST PROTECTION



| TYPE        | BATTERY                          | CELLS | CHARGE TIME (HOURS) | LIGHT SOURCE OPTION                    | COLOUR TEMPERATURE (KELVIN) | OPERATING TIME (HOURS) |     |     | BRIGHTNESS (LUMENS) | CRI  | BULB LIFE (HOURS) |
|-------------|----------------------------------|-------|---------------------|----------------------------------------|-----------------------------|------------------------|-----|-----|---------------------|------|-------------------|
|             |                                  |       |                     |                                        |                             | HIGH                   | MED | LOW |                     |      |                   |
| QI WIRELESS | LI-FEPO4 4000MAH<br>2,000 CYCLES | 1     | <9                  | 1W LED WARM WHITE<br>1W 16 RGB COLOURS | 2700K                       | 42                     | 63  | 84  | < 154               | > 80 | 50,000            |





# SOFIA DOME

PRO

- MODEL NO: 80608-MP02-036
- MATERIAL: ALUMINIUM ALLOY
- FINISH: BRASS / COPPER / NICKEL / BLACK
- DIMENSIONS: 104MM (D) X 300MM (H)
- WEIGHT: 0,644KG
- INTERNATIONAL COMPLIANCE: UKCA, CE, ROHS
- PROTECTION RATING: IP44-WATER + DUST PROTECTION




| TYPE        | BATTERY                          | CELLS | CHARGE TIME (HOURS) | LIGHT SOURCE OPTION                    | COLOUR TEMPERATURE (KELVIN) | OPERATING TIME (HOURS) |     |     | BRIGHTNESS (LUMENS) | CRI  | BULB LIFE (HOURS) |
|-------------|----------------------------------|-------|---------------------|----------------------------------------|-----------------------------|------------------------|-----|-----|---------------------|------|-------------------|
|             |                                  |       |                     |                                        |                             | HIGH                   | MED | LOW |                     |      |                   |
| QI WIRELESS | LI-FEPO4 4000MAH<br>2,000 CYCLES | 1     | <9                  | 1W LED WARM WHITE<br>1W 16 RGB COLOURS | 2700K                       | 42                     | 63  | 84  | < 154               | > 80 | 50,000            |





# ROUND BRASS

- MODEL NO:** 80502-MP02-037
- MATERIAL:** ACRYLIC + ALUMINIUM ALLOY
- BASE FINISH:** BRASS
- DIMENSIONS:** 80MM (D) X 125MM (H)
- WEIGHT:** 1.138KG
- INTERNATIONAL COMPLIANCE:** UKCA, CE, ROHS
- PROTECTION RATING:** IP44-WATER + DUST PROTECTION



| TYPE        | BATTERY                          | CELLS | CHARGE TIME (HOURS) | LIGHT SOURCE OPTION                    | COLOUR TEMPERATURE (KELVIN) | OPERATING TIME (HOURS) |     |     | BRIGHTNESS (LUMENS) | CRI  | BULB LIFE (HOURS) |
|-------------|----------------------------------|-------|---------------------|----------------------------------------|-----------------------------|------------------------|-----|-----|---------------------|------|-------------------|
|             |                                  |       |                     |                                        |                             | HIGH                   | MED | LOW |                     |      |                   |
| QI WIRELESS | LI-PO 3.7V 1350MAH<br>500 CYCLES | 1     | < 6                 | 1W LED WARM WHITE<br>1W 16 RGB COLOURS | 2700K                       | 12                     | 18  | 24  | < 90                | > 80 | 50,000            |





# ROUND WOOD



- MODEL NO:

80501-MP02-015
- MATERIAL:

ACRYLIC
- BASE FINISH:


WOOD
- DIMENSIONS:

80MM (D) X 125MM (H)
- WEIGHT:

0.950KG
- INTERNATIONAL COMPLIANCE:

UKCA, CE, ROHS
- PROTECTION RATING:

IP44-WATER + DUST PROTECTION



| TYPE        | BATTERY                          | CELLS | CHARGE TIME<br>(HOURS) | LIGHT SOURCE OPTION                    | COLOUR TEMPERATURE<br>(KELVIN) | OPERATING TIME (HOURS) |     |     | BRIGHTNESS<br>(LUMENS) | CRI  | BULB LIFE<br>(HOURS) |
|-------------|----------------------------------|-------|------------------------|----------------------------------------|--------------------------------|------------------------|-----|-----|------------------------|------|----------------------|
|             |                                  |       |                        |                                        |                                | HIGH                   | MED | LOW |                        |      |                      |
| QI WIRELESS | LI-PO 3.7V 1350MAH<br>500 CYCLES | 1     | < 6                    | 1W LED WARM WHITE<br>1W 16 RGB COLOURS | 2700K                          | 12                     | 18  | 24  | < 90                   | > 80 | 50,000               |






# CURVE



- MODEL NO: 80101-MP02-001
- MATERIAL: CRYSTAL GLASS
- FINISH: FROSTED
- DIMENSIONS: 80MM (W) X 135MM (H)
- WEIGHT: 1.137KG
- INTERNATIONAL COMPLIANCE: UKCA, CE, ROHS
- PROTECTION RATING: IP44-WATER + DUST PROTECTION




| TYPE        | BATTERY                          | CELLS | CHARGE TIME (HOURS) | LIGHT SOURCE OPTION                    | COLOUR TEMPERATURE (KELVIN) | OPERATING TIME (HOURS) |     |     | BRIGHTNESS (LUMENS) | CRI  | BULB LIFE (HOURS) |
|-------------|----------------------------------|-------|---------------------|----------------------------------------|-----------------------------|------------------------|-----|-----|---------------------|------|-------------------|
|             |                                  |       |                     |                                        |                             | HIGH                   | MED | LOW |                     |      |                   |
| QI WIRELESS | LI-PO 3.7V 1350MAH<br>500 CYCLES | 1     | < 6                 | 1W LED WARM WHITE<br>1W 16 RGB COLOURS | 2700K                       | 12                     | 18  | 24  | < 90                | > 80 | 50,000            |





# SWIRL

- MODEL NO:** 80104-MP02-003
- MATERIAL:** CRYSTAL GLASS
- FINISH:** FROSTED
- DIMENSIONS:** 80MM (W) X 137MM (H)
- WEIGHT:** 0.911KG
- INTERNATIONAL COMPLIANCE:** UKCA, CE, ROHS
- PROTECTION RATING:** IP44-WATER + DUST PROTECTION



| TYPE        | BATTERY                          | CELLS | CHARGE TIME (HOURS) | LIGHT SOURCE OPTION                    | COLOUR TEMPERATURE (KELVIN) | OPERATING TIME (HOURS) |     |     | BRIGHTNESS (LUMENS) | CRI  | BULB LIFE (HOURS) |
|-------------|----------------------------------|-------|---------------------|----------------------------------------|-----------------------------|------------------------|-----|-----|---------------------|------|-------------------|
|             |                                  |       |                     |                                        |                             | HIGH                   | MED | LOW |                     |      |                   |
| QI WIRELESS | LI-PO 3.7V 1350MAH<br>500 CYCLES | 1     | <6                  | 1W LED WARM WHITE<br>1W 16 RGB COLOURS | 2700K                       | 12                     | 18  | 24  | < 90                | > 80 | 50,000            |





# RIDGE



**MODEL NO:** 80125-MP02-004  
**MATERIAL:** CRYSTAL GLASS  
**FINISH:** FROSTED  
**DIMENSIONS:** 80MM (W) X 125MM (H)  
**WEIGHT:** 0.800KG  
**INTERNATIONAL COMPLIANCE:** UKCA, CE, ROHS  
**PROTECTION RATING:** IP44-WATER + DUST PROTECTION




| TYPE        | BATTERY                          | CELLS | CHARGE TIME<br>(HOURS) | LIGHT SOURCE OPTION                    | COLOUR TEMPERATURE<br>(KELVIN) | OPERATING TIME (HOURS) |     |     | BRIGHTNESS<br>(LUMENS) | CRI  | BULB LIFE<br>(HOURS) |
|-------------|----------------------------------|-------|------------------------|----------------------------------------|--------------------------------|------------------------|-----|-----|------------------------|------|----------------------|
|             |                                  |       |                        |                                        |                                | HIGH                   | MED | LOW |                        |      |                      |
| QI WIRELESS | LI-PO 3.7V 1350MAH<br>500 CYCLES | 1     | < 6                    | 1W LED WARM WHITE<br>1W 16 RGB COLOURS | 2700K                          | 12                     | 18  | 24  | < 90                   | > 80 | 50,000               |





# JUPITER V1

- MODEL NO: 80125-MP02-004
- MATERIAL: CRYSTAL GLASS
- FINISH: FROSTED
- DIMENSIONS: 80MM (W) X 125MM (H)
- WEIGHT: 0.800KG
- INTERNATIONAL COMPLIANCE: UKCA, CE, ROHS
- PROTECTION RATING: IP44-WATER + DUST PROTECTION



| TYPE        | BATTERY                          | CELLS | CHARGE TIME<br>(HOURS) | LIGHT SOURCE OPTION                    | COLOUR TEMPERATURE<br>(KELVIN) | OPERATING TIME (HOURS) |     |     | BRIGHTNESS<br>(LUMENS) | CRI  | BULB LIFE<br>(HOURS) |
|-------------|----------------------------------|-------|------------------------|----------------------------------------|--------------------------------|------------------------|-----|-----|------------------------|------|----------------------|
|             |                                  |       |                        |                                        |                                | HIGH                   | MED | LOW |                        |      |                      |
| QI WIRELESS | LI-PO 3.7V 1350MAH<br>500 CYCLES | 1     | < 6                    | 1W LED WARM WHITE<br>1W 16 RGB COLOURS | 2700K                          | 12                     | 18  | 24  | < 90                   | > 80 | 50,000               |





# JUPITER V2

- MODEL NO:

MATERIAL:

FINISH:

DIMENSIONS:

WEIGHT:

INTERNATIONAL COMPLIANCE:

PROTECTION RATING:
- 80106-MP02-0067

CRYSTAL GLASS


FROSTED

90MM (D) X 100MM (H)

0.667KG

UKCA, CE, ROHS

IP44-WATER + DUST PROTECTION



| TYPE        | BATTERY                          | CELLS | CHARGE TIME<br>(HOURS) | LIGHT SOURCE OPTION                    | COLOUR TEMPERATURE<br>(KELVIN) | OPERATING TIME (HOURS) |     |     | BRIGHTNESS<br>(LUMENS) | CRI  | BULB LIFE<br>(HOURS) |
|-------------|----------------------------------|-------|------------------------|----------------------------------------|--------------------------------|------------------------|-----|-----|------------------------|------|----------------------|
|             |                                  |       |                        |                                        |                                | HIGH                   | MED | LOW |                        |      |                      |
| QI WIRELESS | LI-PO 3.7V 1350MAH<br>500 CYCLES | 1     | < 6                    | 1W LED WARM WHITE<br>1W 16 RGB COLOURS | 2700K                          | 12                     | 18  | 24  | < 90                   | > 80 | 50,000               |





PILLAR

- MODEL NO: 80107-MP02-008
- MATERIAL: CRYSTAL GLASS
- FINISH: FROSTED
- DIMENSIONS: 80MM (D) X 150MM (H)
- WEIGHT: 0.698KG
- INTERNATIONAL COMPLIANCE: UKCA, CE, ROHS
- PROTECTION RATING: IP44-WATER + DUST PROTECTION



| TYPE        | BATTERY                          | CELLS | CHARGE TIME<br>(HOURS) | LIGHT SOURCE OPTION                    | COLOUR TEMPERATURE<br>(KELVIN) | OPERATING TIME (HOURS) |     |     | BRIGHTNESS<br>(LUMENS) | CRI  | BULB LIFE<br>(HOURS) |
|-------------|----------------------------------|-------|------------------------|----------------------------------------|--------------------------------|------------------------|-----|-----|------------------------|------|----------------------|
|             |                                  |       |                        |                                        |                                | HIGH                   | MED | LOW |                        |      |                      |
| QI WIRELESS | LI-PO 3.7V 1350MAH<br>500 CYCLES | 1     | < 6                    | 1W LED WARM WHITE<br>1W 16 RGB COLOURS | 2700K                          | 12                     | 18  | 24  | < 90                   | > 80 | 50,000               |





# STONE

- MODEL NO:** 80112-MP02-013
- MATERIAL:** GYPSUM ALABASTER
- FINISH:** STONE EFFECT
- DIMENSIONS:** 90MM (D) X 160MM (H)
- WEIGHT:** 1.184KG
- INTERNATIONAL COMPLIANCE:** UKCA, CE, ROHS
- PROTECTION RATING:** IP44-WATER + DUST PROTECTION



| TYPE        | BATTERY                          | CELLS | CHARGE TIME<br>(HOURS) | LIGHT SOURCE OPTION                    | COLOUR TEMPERATURE<br>(KELVIN) | OPERATING TIME (HOURS) |     |     | BRIGHTNESS<br>(LUMENS) | CRI  | BULB LIFE<br>(HOURS) |
|-------------|----------------------------------|-------|------------------------|----------------------------------------|--------------------------------|------------------------|-----|-----|------------------------|------|----------------------|
|             |                                  |       |                        |                                        |                                | HIGH                   | MED | LOW |                        |      |                      |
| QI WIRELESS | LI-PO 3.7V 1350MAH<br>500 CYCLES | 1     | < 6                    | 1W LED WARM WHITE<br>1W 16 RGB COLOURS | 2700K                          | 12                     | 18  | 24  | < 90                   | > 80 | 50,000               |





# SHELL

- MODEL NO:** 80135-MP02-014
- MATERIAL:** SYNTHETIC PEARLISED SHELL
- FINISH:** SHELL
- DIMENSIONS:** 80MM (D) X 160MM (H)
- WEIGHT:** 0.395KG
- INTERNATIONAL COMPLIANCE:** UKCA, CE, ROHS
- PROTECTION RATING:** IP44-WATER + DUST PROTECTION



| TYPE        | BATTERY                          | CELLS | CHARGE TIME<br>(HOURS) | LIGHT SOURCE OPTION                    | COLOUR TEMPERATURE<br>(KELVIN) | OPERATING TIME (HOURS) |     |     | BRIGHTNESS<br>(LUMENS) | CRI  | BULB LIFE<br>(HOURS) |
|-------------|----------------------------------|-------|------------------------|----------------------------------------|--------------------------------|------------------------|-----|-----|------------------------|------|----------------------|
|             |                                  |       |                        |                                        |                                | HIGH                   | MED | LOW |                        |      |                      |
| QI WIRELESS | LI-PO 3.7V 1350MAH<br>500 CYCLES | 1     | < 6                    | 1W LED WARM WHITE<br>1W 16 RGB COLOURS | 2700K                          | 12                     | 18  | 24  | < 90                   | > 80 | 50,000               |





PE ROUND

- MODEL NO: 80136-MP02-016
- MATERIAL: POLYETHYLENE PLASTIC
- SURFACE FINISH: SAND BLASTED
- DIMENSIONS: 100MM (D) X 150MM (H)
- WEIGHT: 0.234KG
- INTERNATIONAL COMPLIANCE: UKCA, CE, ROHS
- PROTECTION RATING: IP44-WATER + DUST PROTECTION




| TYPE        | BATTERY                          | CELLS | CHARGE TIME<br>(HOURS) | LIGHT SOURCE OPTION                    | COLOUR TEMPERATURE<br>(KELVIN) | OPERATING TIME (HOURS) |     |     | BRIGHTNESS<br>(LUMENS) | CRI  | BULB LIFE<br>(HOURS) |
|-------------|----------------------------------|-------|------------------------|----------------------------------------|--------------------------------|------------------------|-----|-----|------------------------|------|----------------------|
|             |                                  |       |                        |                                        |                                | HIGH                   | MED | LOW |                        |      |                      |
| QI WIRELESS | LI-PO 3.7V 1350MAH<br>500 CYCLES | 1     | < 6                    | 1W LED WARM WHITE<br>1W 16 RGB COLOURS | 2700K                          | 12                     | 18  | 24  | < 90                   | > 80 | 50,000               |




CHARGING PADS



**MODEL NO:** 90203-QI  
**DIMENSIONS:** 145MM(W) X 145MM(L) X 17MM(H)  
**WEIGHT:** 0.100KG  
**CHARGING CAPACITY:** 1 LAMPS  
**VOLTAGE INPUT** 100-240V  
**OUTPUT** 5V-12V MAX 2A / 10W  
**FREQUENCY** 50 / 60 HZ




**MODEL NO:** 90202-QI  
**DIMENSIONS:** 290MM(W) X 145MM(L) X 17MM(H)  
**WEIGHT:** 0.200KG  
**CHARGING CAPACITY:** 1-2 LAMPS  
**VOLTAGE INPUT** 100-240V  
**OUTPUT** 5V-12V MAX 2A / 10W  
**FREQUENCY** 50 / 60 HZ



\*CONNECT TECHNOLOGY FEATURE



**MODEL NO:** 90206-QI  
**DIMENSIONS:** 290mm(W) x 435mm(L) x 17mm(H)  
**WEIGHT:** 0.600KG  
**CHARGING CAPACITY:** 1-6 LAMPS  
**VOLTAGE INPUT** 100-240V  
**OUTPUT** 12V MAX 6A / 30W  
**FREQUENCY** 50 / 60 HZ



\*CONNECT TECHNOLOGY FEATURE

CHARGING TROLLEY



**MODEL NO:** 90224-QI  
**DIMENSIONS:** 450MM(W) X 650MM(L) X 900MM(H)  
**WEIGHT:** 12KG  
**CHARGING CAPACITY:** 1-24 LAMPS  
**VOLTAGE INPUT** 100-240V  
**OUTPUT** 12V MAX 15A / 400W  
**FREQUENCY** 50 / 60 HZ



**MODEL NO:** 90236-QI  
**DIMENSIONS:** 450MM(W) X 650MM(L) X 900MM(H)  
**WEIGHT:** 15KG  
**CHARGING CAPACITY:** 1-36 LAMPS  
**VOLTAGE INPUT** 100-240V  
**OUTPUT** 12V MAX 15A / 400W  
**FREQUENCY** 50 / 60 HZ



\*NOT COMPATIBLE WITH SOFIA & CHARM SERIES OF LAMPS DUE TO DISTANCE BETWEEN SHELVES

REMOTE CONTROL





**MODEL NO:** 80201-IR

**DIMENSIONS:** 52MM (W) X 85MM (L) X 5MM (H)

**WEIGHT:** 0.010KG

**TECHNOLOGY:** INFRA RED

**BATTERY TYPE:** CR2025 3V

**OPERATION:** TURN LAMPS ON/OFF

16 COLOURS AND 2700K WARM WHITE

ADJUST THE LAMPS BRIGHTNESS SETTING

CONTROLS AN UNLIMITED QUANTITY OF LAMPS



Brightness +

Brightness -

Static colours

Switch Off

Switch On

7 colour transition

Fast colour transition

Slow colour fade

3 colour transition

SPARE BATTERY MODULES





**MODEL NO:** 1010-QI

**DIMENSIONS:** 75MM (D) X 33MM (H)

**WEIGHT:** 0.053KG

**BATTERY TYPE:** LI-PO 1350MAH

**CYCLE LIFE:** 500 CHARGES

**CHARGING:** QI TECHNOLOGY

**LED INTEGRATED:** YES, 1W

**LIGHT DURATION:** 12 / 18 / 24 HOURS



75

33

PRO





**MODEL NO:** 10103-PRO-QI

**DIMENSIONS:** 86MM (D) X 27MM (H)

**WEIGHT:** 0.100KG


**BATTERY TYPE:** LI-FEPO4 4000MAH

**CYCLE LIFE:** 2,000 CHARGES

**CHARGING:** QI TECHNOLOGY

**LED INTEGRATED:** NO

**LIGHT DURATION:** 42 / 63 / 84 HOURS



86

27

\*ONLY COMPATIBLE WITH SOFIA & CHARM SERIES OF LAMPS

**INSIGHT**  
CORDLESS LIGHTING



**INSIGHT CORDLESS LIGHTING LTD**

UNIT 3, THE MEADOW,  
ALMS CLOSE, HUNTINGDON  
CAMBRIDGESHIRE, PE29 6AJ, UNITED KINGDOM  
(0)1487 773 211  
INFO@INSIGHTCORDLESSLIGHTING.COM  
COMPANY REGISTRATION NO. 9938893  
VAT NUMBER: 167994345

**VISIT US ONLINE**

[WWW.INSIGHTCORDLESSLIGHTING.COM](http://WWW.INSIGHTCORDLESSLIGHTING.COM)

ALL RIGHTS RESERVED. NO PART OF THIS PUBLICATION MAY BE REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT THE PRIOR WRITTEN PERMISSION OF INSIGHT CORDLESS LIGHTING. SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.